

| Report Number: | 23-004879/D006.R001 |
|-----------------|---------------------|
| Report Date: | 05/04/2023 |
| ORELAP#: | OR100028 |
| Purchase Order: | |
| Received: | 04/21/23 12:39 |

This is an amended version of report# 23-004879/D006.R000. Reason: Combine results with report 23-005181/D002.R000.

Customer:

| Product identity: | BSD GVL- |
|-------------------|----------------|
| Client/Metrc ID: | TST615 . |
| Laboratory ID: | 23-004879-0002 |

| | | Summary | | | |
|-----------------------|---------------------------|---------|--|-----------------|------------------------|
| otency: | | | | | |
| Analyte CBD | Result (%) 89.4 | | | CBD-Total | 89.4% |
| CBG CBT CBDV | 1.06 0.802 0.530 | | CBDCBG | THC-Total | <pre></pre> |
| CBE | 0.329 | | CBTCBDVCBE | (Reported in pe | rcent of total sample) |
| | | | | | |

Residual Solvents:

| All analytes passing and less that |
|------------------------------------|
|------------------------------------|

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.

_ _ _ _ _ _ _ _ _

_

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

_ _ _ _ _ _ _ _ _ _

_ _

_ _ _ _ _ _ _ _ _ _ _ _ _



| Report Number: | 23-004879/D006.R001 |
|-----------------|---------------------|
| Report Date: | 05/04/2023 |
| ORELAP#: | OR100028 |
| Purchase Order: | |
| Received: | 04/21/23 12:39 |

Customer:

| | United States of America (USA) |
|----------------------|--------------------------------|
| Product identity: | BSD GVL-TST615 |
| Client/Metrc ID: | |
| Sample Date: | |
| Laboratory ID: | 23-004879-0002 |
| Evidence of Cooling: | No |
| Temp: | 24.3 °C |
| Relinquished by: | client |

Sample Results

| Potency | Method: J AOAC 20 |)15 V98-6 (mod |) Units % | Batch: 2306682 | Analyze: 4/25/23 | 4:56:00 AM |
|-------------------------------|-------------------|----------------|-----------|----------------|------------------|------------|
| Analyte | As Dry | | Notes | | | |
| | Received wei | - | | | | |
| CBC | < LOQ | 0.0706 | | | | |
| CBC-A | < LOQ | 0.0706 | | | | CBD |
| CBC-Total | < LOQ | 0.133 | | | | CBG |
| CBD⊥ | 89.4 | 0.706 | | | | CBT |
| CBD-A⊥ | < LOQ | 0.0706 | | | | CBDV |
| CBD-Total | 89.4 | 0.768 | | | | CBE |
| CBDV | 0.530 | 0.0706 | | | | |
| CBDV-A | < LOQ | 0.0706 | | | | |
| CBDV-Total | 0.530 | 0.132 | | | | |
| CBE | 0.329 | 0.0706 | | | | |
| CBG | 1.06 | 0.0706 | | | | |
| CBG-A | < LOQ | 0.0706 | | | | |
| CBG-Total | 1.06 | 0.132 | | | | |
| CBL | < LOQ | 0.0706 | | | | |
| CBL-A | < LOQ | 0.0706 | | | | |
| CBL-Total | < LOQ | 0.133 | | | | |
| CBN | < LOQ | 0.0706 | | | | |
| CBT | 0.802 | 0.0706 | | | | |
| $\Delta 10$ -THC-9R | < LOQ | 0.0706 | | | | |
| $\Delta 10$ -THC-9S | < LOQ | 0.0706 | | | | |
| $\Delta 10$ -THC-Total | < LOQ | 0.141 | | | | |
| $\Delta 8\text{-THC}^{\perp}$ | < LOQ | 0.0706 | | | | |
| $\Delta 8$ -THCV | < LOQ | 0.0706 | | | | |
| $\Delta 9\text{-THC}^{\perp}$ | < LOQ | 0.0706 | | | | |
| exo-THC | < LOQ | 0.0706 | | | | |
| THC-A⊥ | < LOQ | 0.0706 | | | | |
| THC-Total | < LOQ | 0.133 | | | | |
| THCV | < LOQ | 0.0706 | | | | |
| THCV-A | < LOQ | 0.0706 | | | | |
| THCV-Total | < LOQ | 0.132 | | | | |
| Total Cannabinoids | 92.1 | | | | | |

Page 2 of 5 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430



| Report Number: | 23-005181/D002.R000 |
|-----------------|---------------------|
| Report Date: | 05/04/2023 |
| ORELAP#: | OR100028 |
| Purchase Order: | |
| Received: | 04/28/23 00:00 |

Customer:

| | United States of America (USA) |
|----------------------|--------------------------------|
| Product identity: | BSD GVL-TST615 |
| Client/Metrc ID: | |
| Sample Date: | |
| Laboratory ID: | 23-005181-0001 |
| Evidence of Cooling: | No |
| Temp: | 25 °C |

Sample Results

| Microbiology | | | | | | |
|-------------------------|--------|--------------|-----|---------|---|--------------|
| Analyte | Result | Limits Units | LOQ | Batch | Analyzed Method | Status Notes |
| E.coli | < LOQ | cfu/g | 10 | 2306862 | 05/03/23 AOAC 991.14 (Petrifilm) ^b | |
| Total Coliforms | < LOQ | cfu/g | 10 | 2306862 | 05/03/23 AOAC 991.14 (Petrifilm) ^b | |
| Mold (RAPID Petrifilm) | < LOQ | cfu/ml | 10 | 2306863 | 05/04/23 AOAC 2014.05 (RAPID) ^b | |
| Yeast (RAPID Petrifilm) | < LOQ | cfu/ml | 10 | 2306863 | 05/04/23 AOAC 2014.05 (RAPID) ^b | |

| Solvents | Method: | Residua | I Solve | ents by C | GC/MS⊧ | Units µg/g Ba | atch 23 | 06966 | Analyz | e 05/0 | 03/23 02:34 PM |
|------------------------------|---------|---------|---------|-----------|--------|------------------------------------|---------|--------|--------|---------------|----------------|
| Analyte | Result | Limits | LOQ | Status I | Notes | Analyte | | Result | Limits | LOQ | Status Notes |
| 1,4-Dioxane | < LOQ | 380 | 100 | pass | | 2-Butanol | | < LOQ | 5000 | 200 | pass |
| 2-Ethoxyethanol | < LOQ | 160 | 30.0 | pass | | 2-Methylbutane (Isopentane) | | < LOQ | | 200 | |
| 2-Methylpentane | < LOQ | | 30.0 | | | 2-Propanol (IPA) | | < LOQ | 5000 | 200 | pass |
| 2,2-Dimethylbutane | < LOQ | | 30.0 | | | 2,2-Dimethylpropa (neo-pentane) | ane | < LOQ | | 200 | |
| 2,3-Dimethylbutane | < LOQ | | 30.0 | | | 3-Methylpentane | | < LOQ | | 30.0 | |
| Acetone | < LOQ | 5000 | 200 | pass | | Acetonitrile | | < LOQ | 410 | 100 | pass |
| Benzene | < LOQ | 2.00 | 1.00 | pass | | Butanes (sum) | | < LOQ | 5000 | 400 | pass |
| Cyclohexane | < LOQ | 3880 | 200 | pass | | Ethyl acetate | | < LOQ | 5000 | 200 | pass |
| Ethyl benzene | < LOQ | | 200 | | | Ethyl ether | | < LOQ | 5000 | 200 | pass |
| Ethylene glycol | < LOQ | 620 | 200 | pass | | Ethylene oxide | | < LOQ | 50.0 | 20.0 | pass |
| Hexanes (sum) | < LOQ | 290 | 150 | pass | | Isopropyl acetate | | < LOQ | 5000 | 200 | pass |
| lsopropylbenzene (Cumene) | < LOQ | 70.0 | 30.0 | pass | | m,p-Xylene | | < LOQ | | 200 | |
| Methanol | < LOQ | 3000 | 200 | pass | | Methylene chlorid | de | < LOQ | 600 | 60.0 | pass |
| Methylpropane (Isobutane) | < LOQ | | 200 | | | n-Butane | | < LOQ | | 200 | |
| n-Heptane | < LOQ | 5000 | 200 | pass | | n-Hexane | | < LOQ | | 30.0 | |
| n-Pentane | < LOQ | | 200 | | | o-Xylene | | < LOQ | | 200 | |
| Pentanes (sum) | < LOQ | 5000 | 600 | pass | | Propane | | < LOQ | 5000 | 200 | pass |
| Tetrahydrofuran | < LOQ | 720 | 100 | pass | | Toluene | | < LOQ | 890 | 100 | pass |
| Total Xylenes | < LOQ | | 400 | | | Total Xylenes and benzene | d Ethyl | < LOQ | 2170 | 600 | pass |

 Www.columbialaboratories.com
 Page 3 of 5

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410



| Report Number: | 23-005181/D002.R000 |
|-----------------|---------------------|
| Report Date: | 05/04/2023 |
| ORELAP#: | OR100028 |
| Purchase Order: | |
| Received: | 04/28/23 00:00 |

| Pesticides | Method: AOAC 2007.01 & EN 15662 (mod) ^b | | | Units mg/kg Batch 2306954 | | Analyze 05/03/23 10:31 AM | |
|-------------------------------|--|--------|--------------------|----------------------------------|--------|---------------------------|--------------------|
| Analyte | Result | Limits | s LOQ Status Notes | Analyte | Result | Limits | s LOQ Status Notes |
| Abamectin [¥] | < LOQ | 0.50 | 0.250 pass | Acephate¥ | < LOQ | 0.40 | 0.200 pass |
| Acequinocyl [¥] | < LOQ | 2.0 | 1.00 pass | Acetamiprid¥ | < LOQ | 0.20 | 0.100 pass |
| Aldicarb [¥] | < LOQ | 0.40 | 0.200 pass | Azoxystrobin [¥] | < LOQ | 0.20 | 0.100 pass |
| Bifenazate¥ | < LOQ | 0.20 | 0.100 pass | Bifenthrin [¥] | < LOQ | 0.20 | 0.100 pass |
| Boscalid [¥] | < LOQ | 0.40 | 0.200 pass | Carbaryl [¥] | < LOQ | 0.20 | 0.100 pass |
| Carbofuran¥ | < LOQ | 0.20 | 0.100 pass | Chlorantraniliprole [*] | < LOQ | 0.20 | 0.100 pass |
| Chlorfenapyr¥ | < LOQ | 1.0 | 0.500 pass | Chlorpyrifos [¥] | < LOQ | 0.20 | 0.100 pass |
| Clofentezine [*] | < LOQ | 0.20 | 0.100 pass | Cyfluthrin [¥] | < LOQ | 1.0 | 0.500 pass |
| Cypermethrin [¥] | < LOQ | 1.0 | 0.500 pass | Daminozide¥ | < LOQ | 1.0 | 0.500 pass |
| Diazinon¥ | < LOQ | 0.20 | 0.100 pass | Dichlorvos [¥] | < LOQ | 1.0 | 0.500 pass |
| Dimethoate [*] | < LOQ | 0.20 | 0.100 pass | Ethoprophos [¥] | < LOQ | 0.20 | 0.100 pass |
| Etofenprox [¥] | < LOQ | 0.40 | 0.200 pass | Etoxazole [¥] | < LOQ | 0.20 | 0.100 pass |
| Fenoxycarb [¥] | < LOQ | 0.20 | 0.100 pass | Fenpyroximate [¥] | < LOQ | 0.40 | 0.200 pass |
| Fipronil [¥] | < LOQ | 0.40 | 0.200 pass | Flonicamid [¥] | < LOQ | 1.0 | 0.400 pass |
| Fludioxonil¥ | < LOQ | 0.40 | 0.200 pass | Hexythiazox [*] | < LOQ | 1.0 | 0.400 pass |
| Imazalil [¥] | < LOQ | 0.20 | 0.100 pass | Imidacloprid¥ | < LOQ | 0.40 | 0.200 pass |
| Kresoxim-methyl [¥] | < LOQ | 0.40 | 0.200 pass | Malathion¥ | < LOQ | 0.20 | 0.100 pass |
| Metalaxyl [¥] | < LOQ | 0.20 | 0.100 pass | Methiocarb [¥] | < LOQ | 0.20 | 0.100 pass |
| Methomyl [¥] | < LOQ | 0.40 | 0.200 pass | MGK-264 [¥] | < LOQ | 0.20 | 0.100 pass |
| Myclobutanil [¥] | < LOQ | 0.20 | 0.100 pass | Naled [¥] | < LOQ | 0.50 | 0.250 pass |
| Oxamyl [¥] | < LOQ | 1.0 | 0.500 pass | Paclobutrazole¥ | < LOQ | 0.40 | 0.200 pass |
| Parathion-Methyl [¥] | < LOQ | 0.20 | 0.100 pass | Permethrin¥ | < LOQ | 0.20 | 0.100 pass |
| Phosmet [¥] | < LOQ | 0.20 | 0.100 pass | Piperonyl butoxide [¥] | < LOQ | 2.0 | 1.00 pass |
| Prallethrin¥ | < LOQ | 0.20 | 0.100 pass | Propiconazole¥ | < LOQ | 0.40 | 0.200 pass |
| Propoxur [¥] | < LOQ | 0.20 | 0.100 pass | Pyrethrin I (total)¥ | < LOQ | 1.0 | 0.500 pass |
| Pyridaben¥ | < LOQ | 0.20 | 0.100 pass | Spinosad¥ | < LOQ | 0.20 | 0.100 pass |
| Spiromesifen [¥] | < LOQ | 0.20 | 0.100 pass | Spirotetramat [*] | < LOQ | 0.20 | 0.100 pass |
| Spiroxamine [*] | < LOQ | 0.40 | 0.200 pass | Tebuconazole¥ | < LOQ | 0.40 | 0.200 pass |
| Thiacloprid¥ | < LOQ | 0.20 | 0.100 pass | Thiamethoxam [¥] | < LOQ | 0.20 | 0.100 pass |
| Trifloxystrobin [¥] | < LOQ | 0.20 | 0.100 pass | | | | |

| Metals | | | | | | | | |
|----------------------|--------|--------|--------|--------|---------|----------------------|-----------------------------|----|
| Analyte | Result | Limits | Units | LOQ | Batch | Analyzed Method | Status Note | es |
| Arsenic [¥] | < LOQ | 0.200 | mg/kg | 0.0803 | 2306940 | 05/02/23 AOAC 2013.0 | l6 (mod.) ^p pass | |
| Cadmium [¥] | < LOQ | 0.200 | mg/kg | 0.0803 | 2306940 | 05/02/23 AOAC 2013.0 | l6 (mod.) ^p pass | |
| Lead [¥] | < LOQ | 0.500 | mg/kg | 0.0803 | 2306940 | 05/02/23 AOAC 2013.0 | 6 (mod.) ^p pass | |
| Mercury [¥] | < LOQ | 0.100 | _mg/kg | 0.0401 | 2306940 | 05/02/23 AOAC 2013.0 | l6 (mod.) [♭] pass | |

 Www.columbialaboratories.com
 Page 4 of 5

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410



 Report Number:
 23-004879/D006.R001

 Report Date:
 05/04/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 04/21/23
 12:39

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

* = TNI accredited analyte.

Units of Measure

% = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 5 of 5

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.